

Rifle 1-6X Sight



1. Description

The Rifle 1-6X Sight is mainly used for aiming and shooting within 500 meters and observation of the battlefield. All optical components of the product are coated with anti-reflection coating, which greatly improves the transmittance of the system. The product is anti-vibration, filled with nitrogen, waterproof, shock resistance and anti-fog, with adjustable visibility, red dot illumination, integrated tube.


2. Product Features

- The product adopts "quick focus" technology to quickly identify the target and reticle.
- Red dot illumination, at the center of the reticle, the red dot has 1-11 grades of lighting.
- The reticle pattern is clear, which can be used for probabilistic ranging and battlefield observation.
- All optical components of the product are coated with anti-reflection coating, which greatly improves the transmittance of the system.
- The eyepiece and objective lens have a flip-up lens cover, which is convenient to protect the lens surface.
- Shock resistance can reach 800G.


3. Specification

Product Name	Rifle 1-6X Sight
Base	Picatinny Rail
Magnification	1.2-6X
Objective lens diameter	30mm
Eyepiece diameter	42mm
Exit pupil distance	64-130mm
Field of view	3.8-13
Shock resistance	800G
Weight (Includes protective cover)	450g
Length	265mm
Sight tube diameter	30mm
Adjustment value at 100yds	1/4 MOA


4. Scope Construction



5. Detailed Pictures



Reticle Line



Red Dot Illumination

